

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	10/735,648	WALL ET AL.
	Examiner Mark Consilvio	Art Unit 2872

-- **The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to \_\_\_\_\_.
2.  The allowed claim(s) is/are 1-12.
3.  The drawings filed on 16 December 2003 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All    b)  Some\*    c)  None    of the:
    1.  Certified copies of the priority documents have been received.
    2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 12/16/2003
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

## **DETAILED ACTION**

### ***Priority***

Receipt is acknowledged of the claim for benefit of Title 35, United States Code, Section 120 of the United States provisional application 60/506,176.

### ***Information Disclosure Statement***

The information disclosure statement (IDS) submitted on 12/16/2003 is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

### ***Allowable Subject Matter***

Claims 1-12 are allowed.

The following is a statement of reasons for the indication of allowable subject matter: Though the prior art discloses almost all the limitations of claims 1, 8, and 12 (namely, 4-port circulators with polarization beam splitters, polarization rotators, polarization beam directing means, non-reciprocal polarization rotating means, and polarization beam combiners), the prior art of record fails to teach or suggest the aforementioned combination further comprising an input/output port for outputting a second sub-beam of an optical signal with a first polarization, and for inputting a second sub-beam of a modified optical signal with the first polarization whereby light entering the input/output ports with the second polarization will be directed away from the input and output ports.


***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Li (US Patent Application Publication 2002/0186914) discloses a four-port optical circulator including a polarization beam splitter, polarization rotators, polarization beam directing means, non-reciprocal polarization rotating means, and polarization beam combiners, but fails to teach the further features as specified supra. Doerr (US Patent No. 6,304,380) and Tai et al. (US Patent Application No. 2001/0053022) provide similar circulators disclosing some most of these known features but again fail to teach or suggest the entire claimed combination.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Consilvio whose telephone number is (571) 272-2453. The examiner can normally be reached on Monday thru Friday, 8:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew Dunn can be reached on (571) 272-2312. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Mark Consilvio  
USPTO Patent Examiner  
Jefferson, 3C21 AU-2872  
(571) 272-2453



DREW A. DUNN  
SUPERVISORY PATENT EXAMINER